EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	2	5 and ata	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:55
L8	2	5 and ide	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:55
L7	8	5 and scsi	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:55
L6	12	5 and raid	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:50
L5	33	(US-20010042230-$ or US-20050193232-$ or US-20010010084-$ or US-20040268179-$ or US-20020073279-$ or US-20030233611-$).did. or (US-5615335-$ or US-6490115-$ or US-6539496-$ or US-6993679-$ or US-5574855-$ or US-5574882-$ or US-6223308-$ or US-6944791-$ or US-6332204-$ or US-5835965-$ or US-5854950-$ or US-7102780-$ or US-5596390-$ or US-6480982-$ or US-6959413-$ or US-6629273-$ or US-5581690-$ or US-5222109-$ or US-4479214-$ or US-4480307-$ or US-6950967-$ or US-6366980-$ or US-6034831-$ or US-6650492-$ or US-6496313-$ or US-6414687-$).did. or (NN9605259).tban.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:46
L2	736	714/8,764.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:21
L1	3	"6496313".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:21
S15 6	73	ecc with count$3 with (date timestamp time) with writ$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:22

EAST Search History

S15 5	286	ecc with count$3 with (date timestamp time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:22
S15 4	24	ecc near signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:21
S15 3	3	ecc and contino.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:10
S15 2	61	increment$3 near (count$3) with (success$5 correct$3 proper$3 valid$3) near read$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:48
S15 1	101	increment$3 near (count$3) with (success$5 correct$3 proper$3 valid$3) near2 read$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:48
S15 0	3004	(count$3) with (success$5 correct$3 proper$3 valid$3) near2 read$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:48
S14 9	410	(count$3 log logging logged) with (valid$3) near2 read$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:47
S14 8	2609	(count$3 log logging logged) with (success$5 correct$3) near2 read$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:47
S14 7	61	S146 with S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:46
S14 6	1453	address near map$4 with read$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:46

EAST Search History

S14 2	48	ecc with increment$3 near count$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:45
S14 5	65	("4479214").URPN.	USPAT	OR	ON	2007/08/30 11:44
S14 4	5	("3644902" | "3659088" | "3897626" | "4174537" | "4291389").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 11:43
S14 3	2	S142 with read$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:34
S14 1	68	read$3 near2 S135 same lock$3 with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:33
S14 0	212	read$3 with S135 same lock$3 with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:27
S13 8	3	read$3 with S135 same lock$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:27
S13 9	3	read$3 near2 S135 same lock$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S13 7	2	read$3 with S135 with lock$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S13 6	2	read$3 near2 S135 with lock$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S13 5	2832155	(error erroneous corrupt$3 fault$2 fail$3 defect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:25

EAST Search History

S5	16	("5,278,982" "5,764,877" "5,381,527" "5,099,485" "6,044,444" "6,237,052" "6,327,106" "6,640,317").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:25
S134	14	((lba logical adj block) and count$3 and (time timestamp date) and read$3 and writ$3 and (defect$3 corrupt$3 fault$2 fail$3 error erroneous)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:31
S133	33	(test$3 diagnos$4) with count$3 with sector with (read$3 writ$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:30
S132	204	(test$3 diagnos$4) with count$3 with sector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:02
S131	48	defect near list with (time timestamp) with count$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:02
S130	0	defect near list with date with count$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:05
S129	2	"20040236985"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:05
S128	1	contino.xa. and "+ 1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:04
S127	1	contino.xa. and "+ 2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:02
S126	0	contino.xa. and "+2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:02

S12 5	1	contino.xa. and "+1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:01
S12 4	7	contino.xa. and sector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:01
S12 3	41	S122 and count$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 15:20
S12 2	60	S121 S119 S117 S116	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 15:20
S12 1	10	("20010010085" | "20030074523" | "20030156471" | "6094317" | "6239931" | "6263459" | "6272085" | "6332204" | "6384999" | "6502205").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 15:20
S12 0	1	glist and contino.xa.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:40
S11 8	14	count and contino.xa.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:40
S11 9	28	("20020091965" | "4586178" | "5043940" | "5268870" | "5602987" | "5633824" | "5761411" | "5761732" | "5828583" | "5835930" | "5841711" | "5890192" | "5963474" | "6016530" | "6047352" | "6119074" | "6141249" | "6149316" | "6230233" | "6249838" | "6249887" | "6266199" | "6345001" | "6426893" | "6446223" | "6643725" | "6944063" | "6948026").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:39
S11 7	11	("4216506" | "4357626" | "4996679" | "5111299" | "5133079" | "5200989" | "5247126" | "5286907" | "5442638" | "5644310" | "6366980").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:38
S11 6	12	("3860958" | "4296404" | "4558380" | "4578722" | "5142422" | "5142515" | "5200959" | "5265082" | "5353170" | "6034831" | "6384999" | "6496313").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:34

S11 5	2	S112 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:05
S11 2	1391	read$3 with (fail$3 fault corrupt$2 fault) with count$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:04
S11 3	30	S112 same date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:03
S11 1	494	714/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:02
S6	440	714/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:35
S11 0	45	(write same count$3 same (time adj stamp timestamp date)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:33
S10 5	13	714/8.ccls. and write same count$3 same (time adj stamp timestamp date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:33
S10 9	3	S108 not S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:24
S10 8	15	714/8.ccls. and count$3 with (time adj stamp timestamp date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:24
S10 6	1	714/8.ccls. and write adj long	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:23

S10 4	0	714/8.ccls. and write with count$3 with (time adj stamp timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:22
S10 3	0	714/8.ccls. and write with count$3 with date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:22
S10 2	12	write with count$3 with date same (storage memory disk) with (fault error fail$3 corrupt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:21
S10 1	4	S99 S100	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S10 0	3	S97 and S91	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S99	1	S91 and count$3 with writ$3 with (timestamp$3 time adj stamp$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S98	218	count$3 with writ$3 with (timestamp$3 time adj stamp$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S97	294	count$3 with writ$3 with date	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S96	3	count with write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:53
S95	1	counter with write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:45
S94	2	date with write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:45
S93	8	S91 and write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:43
S92	17	S91 and long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:42

S91	28	(US-20010010084-$ or US-20050193232-$ or US-20040268179-$ or US-20010042230-$ or US-20030233611-$ or US-20020073279-$).did. or (US-4480307-$ or US-6332204-$ or US-5222109-$ or US-6480982-$ or US-6490115-$ or US-5574855-$ or US-6223308-$ or US-7102780-$ or US-6944791-$ or US-6366980-$ or US-6539496-$ or US-6950967-$ or US-5581690-$ or US-5615335-$ or US-6993679-$ or US-5574882-$ or US-5835965-$ or US-6629273-$ or US-5854950-$ or US-5596390-$ or US-6959413-$).did. or (NN9605259).tban.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:41
S90	6	S89 not S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:53
S89	9	lock$3 near (lba logical adj block address) same (read$3 near (error erroneous fault$2 fail$3 corrupt$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:53
S79	3	lock$3 near (lba logical adj block) same (read$3 near (error erroneous fault$2 fail$3 corrupt$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:53
S88	38	(read$3 writ$3) same counter near (increment$3 decrement$3) same (error fault$2 fail$3 corrupt$3 erroneous) same ecc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:42
S87	38	(read$3 writ$3) same counter near (increment$3 decrement$3) same (error fault$2 fail$3 corrupt$3 erroneous) same date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:42
S83	1380	(read$3 writ$3) same counter near (increment$3 decrement$3) same (error fault$2 fail$3 corrupt$3 erroneous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:42

S86	0	((read$3 writ$3) same counter near (increment$3 decrement$3) same (error fault$2 fail$3 corrupt$3 erroneous) same date).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:41
S85	43	((read$3 writ$3) same counter near (increment$3 decrement$3) same (error fault$2 fail$3 corrupt$3 erroneous)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:41
S84	2349529	(error fault$2 fail$3 corrupt$3 erroneous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:41
S82	17	((lba logical adj block) and (read$3 near (error erroneous fault$2 fail$3 corrupt$3))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:16
S81	1	(lock$3 near (lba logical adj block) same reassign$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:15
S80	2	(lock$3 near (lba logical adj block) and (read$3 near (error erroneous fault$2 fail$3 corrupt$3))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:15
S78	2	lock$3 near (lba logical adj block) with (read$3 near (error erroneous fault$2 fail$3 corrupt$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:14
S77	15	("4775978" | "5088081" | "5210860" | "5500940" | "5504858" | "5546535" | "5572661" | "5581690" | "5615335" | "5615352" | "5632012" | "5655150" | "5664187" | "5961652" | "6223301").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/09 17:11
S76	0	("6959413").URPN.	USPAT	OR	ON	2007/08/09 12:36
S75	13	("20010008008" | "20020073279" | "20030233611" | "5504858" | "5574855" | "5581690" | "5826001" | "5913927" | "5933592" | "6161192" | "6349359" | "6629273" | "6665773").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/09 12:36

| S74 | 13 | ("20010008008" \| "20020073279" \| "20030233611" \| "5504858" \| "5574855" \| "5581690" \| "5826001" \| "5913927" \| "5933592" \| "6161192" \| "6349359" \| "6629273" \| "6665773").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/09 12:17 |
| S72 | 5 | invalid near ecc same writ$3 same read$3 same (error fault$2 fail$3 erroneous corrupt$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 12:03 |